Columns in FOP

Block 0: The Extensible
Markup Language (XML) is a
subset of SGML that is
completely described in this
document. Its goal is to
enable generic SGML to be
served, received, and
processed on the Web in the
way that is now possible with
HTML. XML has been
designed for ease of
implementation and for
interoperability with both
SGML and HTML. For further
information read normal.pdf.

Block 1: The Extensible
Markup Language (XML) is a
subset of SGML that is
completely described in this
document. Its goal is to
enable generic SGML to be
served, received, and

processed on the Web in the way that is now possible with HTML. XML has been designed for ease of implementation and for interoperability with both SGML and HTML. For further information read normal.pdf.

Block 2: The Extensible
Markup Language (XML) is a
subset of SGML that is
completely described in this
document. Its goal is to
enable generic SGML to be
served, received, and
processed on the Web in the
way that is now possible with
HTML. XML has been
designed for ease of
implementation and for
interoperability with both
SGML and HTML. For further

information read normal.pdf.

Block 3: The Extensible
Markup Language (XML) is a
subset of SGML that is
completely described in this
document. Its goal is to
enable generic SGML to be
served, received, and
processed on the Web in the
way that is now possible with
HTML. XML has been
designed for ease of
implementation and for
interoperability with both
SGML and HTML. For further
information read normal.pdf.

Block 4: The Extensible Markup Language (XML) is a subset of SGML that is completely described in this document. Its goal is to enable generic SGML to be served, received, and processed on the Web in the way that is now possible with HTML. XML has been designed for ease of implementation and for interoperability with both SGML and HTML. For further information read normal.pdf.

Block 5: The Extensible
Markup Language (XML) is a
subset of SGML that is
completely described in this
document. Its goal is to
enable generic SGML to be
served, received, and
processed on the Web in the

way that is now possible with HTML. XML has been designed for ease of implementation and for interoperability with both SGML and HTML. For further information read normal.pdf.

Block 6: The Extensible

Markup Language (XML) is a subset of SGML that is completely described in this document. Its goal is to enable generic SGML to be served, received, and processed on the Web in the way that is now possible with

Columns in FOP

HTML. XML has been designed for ease of implementation and for interoperability with both SGML and HTML. For further information read normal.pdf.

Block 7: The Extensible
Markup Language (XML) is a
subset of SGML that is
completely described in this
document. Its goal is to
enable generic SGML to be
served, received, and
processed on the Web in the

way that is now possible with HTML. XML has been designed for ease of implementation and for interoperability with both SGML and HTML. For further information read normal.pdf.

Block 8: The Extensible
Markup Language (XML) is a
subset of SGML that is
completely described in this
document. Its goal is to
enable generic SGML to be
served, received, and

processed on the Web in the way that is now possible with HTML. XML has been designed for ease of implementation and for interoperability with both SGML and HTML. For further information read normal.pdf.

Block 9: The Extensible Markup Language (XML) is a subset of SGML that is completely described in this document. Its goal is to enable generic SGML to be served, received, and processed on the Web in the way that is now possible with HTML. XML has been designed for ease of implementation and for interoperability with both SGML and HTML. For further information read normal.pdf.