# How to use table elements

# A simple table, 3 columns, 4 rows

this is normal text. this is normal text. this is normal text. this is normal text. this is normal text.

goodbaduglynicediceviceliteraturemusicartjavaperlpython

## A table with borders

this is normal text. this is normal text. this is normal text. this is normal text. this is normal text.

good	bad	ugly	
good nice literature	dice	vice	
	music	art	
ava	perl	python	

## A table with thick borders

this is normal text. this is normal text. this is normal text. this is normal text. this is normal text.

ood	bad	ugly	
ce	dice	ugly vice	
<u>erature</u>	music	art	
VO	norl	nython	

## A table with borders around the cells

this is normal text. this is normal text. this is normal text. this is normal text. this is normal text.

good	bad	ugly
nice	dice	vice
literature	music	art
java	perl	python

# 2 tables with thick borders around the cells


good	ad	gly
nice	ice	ice
literature	nusic	rt
java	erl	ython

good	ad	gly
nice	ice	ice
literature	nusic	ırt
java	erl	ython

this is normal text.

## 5 tables with borders

this is normal text. this is normal text. this is normal text. this is normal text. this is normal text.



## A Contents table

- A) What is FOP?
- B) Downloading FOP
  C) Running FOP
  D) Embedding FOP
  E) What's Implemented?

- F) Limitations
- G) Bugs
- H) Compiling FOP
- Getting involved
   FOP Relevant Specifications
- K) Licence